



FMP Manual Section 12

Type Commander Alterations

CM Forum

9 March 01

J. David McDermott

SEA 04M5

703-602-0785x140

Lawsondj@navsea.navy.mil



Agenda

- Background
- TYCOM Alterations Today
- Research to date
- TYCOM Alterations Funding
- Work to be done



Background

- Total Review of FMP Process and FMP Manual
- Support Joint CINC D-30 Process
- Section 8 ILS Update Discussions
- SWRMC “D” Alts and other AER ILS Issues Point Paper
- NAVSEA Carderock Proposed Issue for NAVSEA Commander’s Forum XI Paper



TYCOM Alterations Today (Section 12)

- Alteration Equivalent to Repair
 - Title “D”
 - Title “F”
 - Letter AER
 - Alteration and Improvement (A&I) (Subs only)
 - Alteration Request (Carriers only)
- Rapid Development Title “D”, Title “F”, AER
(Surface Force, excluding Carriers)



Research to date (Interviews)

SURFLANT N43 (Type Desks and Maintenance Requirements)

SUBLANT Type Desk

PEO MUW (PMS 490)

PEO SUB (PMS 392/SEA 92L)

PEO C (PMS 312)

PEO EXW (PMS 470)

SUPSHIP Newport News Code 1800 (Old PERA CV)

TYCOM Alterations Funding

| SPM | TYCOM | TYPE ALT | ALT FUND | MATERIAL FUND | INSTALL FUND | SSR FUND | ILS FUND | IN FMPMIS | REMARKS |
|--|---------------------|---------------|-------------|---------------|--------------|-------------|-------------|--------------|--|
| <u>TEAM SUB</u> SSN | SUBPAC SUBLANT | A&I | SPM* | TYCOM | TYCOM | SPM | TYCOM | NO (TAMS) | *FIRST INSTALL SIDS; TYCOM THEREAFTER |
| | | D | SPM* | TYCOM | TYCOM | SPM | TYCOM | YES | *FIRST INSTALL SIDS; TYCOM THEREAFTER |
| | | F | SPM* | TYCOM | TYCOM | SPM | TYCOM | YES | *FIRST INSTALL SIDS; TYCOM THEREAFTER |
| <u>PEO-C</u> CVN CV | AIRPAC AIRLANT | AR | TYCOM | TYCOM | TYCOM | SPM | N/A | NO (LCRS) | |
| | | D | TYCOM | TYCOM | TYCOM | SPM | SPM | YES | |
| | | F | TYCOM | TYCOM | TYCOM | SPM | N/A | YES | |
| <u>PEO-EXW</u> LCC LHD, LHA LPD, LSD AO, AOE | SURFPAC SURFLANT | AER | TYCOM | TYCOM | TYCOM | SPM | TYCOM | YES | |
| | | D | TYCOM | TYCOM | TYCOM | SPM | TYCOM | YES | |
| | | F | TYCOM | TYCOM | TYCOM | SPM | TYCOM | YES | |
| <u>PEO-MUW</u> MHC MCM | SURFPAC SURFLANT | AER | TYCOM | TYCOM | TYCOM | TYCOM | TYCOM | YES | |
| | | D | TYCOM | TYCOM | TYCOM | SPM | SPM | YES | |
| | | -- RAPID D | -- TYCOM | -- TYCOM | -- TYCOM | -- TYCOM | -- TYCOM | -- YES | |
| | | F | TYCOM | TYCOM | TYCOM | SPM | SPM | YES | |
| <u>PEO-TSC</u> CG DDG DD FFG | SURFPAC SURFLANT | AER | SPM* | TYCOM | TYCOM | SPM | SPM | YES | *FIRST INSTALL SIDS; TYCOM THEREAFTER |
| | | D | SPM* | TYCOM | TYCOM | SPM | SPM | YES | *FIRST INSTALL SIDS; TYCOM THEREAFTER |
| | | -- RAPID D | -- TYCOM | -- TYCOM | -- TYCOM | -- TYCOM | -- TYCOM | -- YES | |
| | | F | SPM* | TYCOM | TYCOM | SPM | SPM | YES | *FIRST INSTALL SIDS; TYCOM THEREAFTER |



Work to be done

- Continue Research
- Develop Section 12 Strawman—ECD 9 April 01
 - ILS Cert Form for TYCOM Alts?
 - Standardize process or document differences?
 - Funding?
- Policy changes will be coordinated through the FMP Planning and Logistics Subcommittees